

'Your Pathway to Asthma Control' PACNU approved Plan available at www.pacnj.org

Asthma Treatment Plan Patient/Parent Instructions



The PACNJ Asthma Treatment Plan is designed to help everyone understand the steps necessary for the individual patient to achieve the goal of controlled asthma.

- 1. Patients/Parents/Guardians: Before taking this form to your Health Care Provider:
 - Complete the top left section with:
 - · Patient's name
 - · Patient's date of birth

- Parent/Guardian's name & phone number
- An Emergency Contact person's name & phone number

2. Your Health Care Provider will:

Complete the following areas:

• The effective date of this plan

Patient's doctor's name & phone number

- The medicine information for the Healthy, Caution and Emergency sections
- Your Health Care Provider will check the box next to the medication and check how much and how often to take it
- Your Health Care Provider may check "OTHER" and:
 - Write in asthma medications not listed on the form
 - Write in additional medications that will control your asthma
 - Write in generic medications in place of the name brand on the form
- Together you and your Health Care Provider will decide what asthma treatment is best for you or your child to follow.

3. Patients/Parents/Guardians & Health Care Providers together:

Discuss and then complete the following areas:

- Patient's peak flow range in the Healthy, Caution and Emergency sections on the left side of the form
- Patient's asthma triggers on the right side of the form
- For Minors Only section at the bottom of the form: Discuss your child's ability to self-administer the inhaled medications, check the appropriate box, and then both you and your Health Care Provider must sign and date the form
- 4. Parents/Guardians: After completing the form with your Health Care Provider:
 - Make copies of the Asthma Treatment Plan and give the signed original to your child's school nurse or child care provider
 - · Keep a copy easily available at home to help manage your child's asthma
 - Give copies of the Asthma Treatment Plan to everyone who provides care for your child, for example: babysitters, before/after school program staff, coaches, scout leaders

This Asthma Treatment Plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs. Not all asthma medications are listed and the generic names are not listed.

Disclaimers:

The use of this Website/PACNJ Asthma Treatment Plan and its content is at your own risk. The content is provided on an "as is" basis. The American Lung Association of the Mid-Atlantic (ALAM-A), the Pediatric/Adult Asthma Coalition of New Jersey and all affiliates disclaim all warrantles, express or implied, statutory or otherwise, including but not limited to the implied warrantles or merchantability, non-infringement of third parties' rights, and fitness for a particular purpose.


ALAM-A makes no representations or warranties about the accuracy, reliability, completeness, currency, or timeliness of the content. ALAM-A makes no warranty, representation or guaranty that the information will be uninterrupted or error free or that any defects can be corrected.

In no event shall ALAM-A be liable for any damages (including, without limitation, incidental and consequential damages, personal injury/wrongful death, lost profits, or damages resulting from data or business interruption) resulting from the use or inability to use the content of this Asthma Treatment Plan whether based on warranty, contract, tort or any other legal theory, and whether or not ALAM-A is advised of the possibility of such damages. ALAM-A and its affiliates are not liable for any claim, whatsoever, caused by your use or misuse of the Asthma Treatment Plan, nor of this website.

The Pediatric/Adult Asthma Coalition of New Jersey, sponsored by the American Lung Association of New Jersey, and this publication are supported by a grant from the New Jersey Department of Health and Senior Services (NJDHSS), with funds provided by the U.S. Centers for Disease Control and Prevention (USCDCP) under Cooperative Agreement 5USSEH000206-3, its contents are solely the responsibility of the authors and do not necessarily represent the official views of the NJDHSS or the USCDCP. Authorigh this document has been funded wholly or in part by the United States Environmental Protection Agency under Agreement XA9725677-2 to the American Lung Association of New Jersey, it has not gone through the Agency's publications review process and therefore, may not necessarily reflect the views of Agency and no official endorsement should be interned. Information in this publication is not intended to diagnose health problems or take the place of medical advice. For asthma or any medical condition, seek medical advice from your child's or your health care professional.



Asthma Treatment Plan



Sponsored by AMERICAN LUNG ASSOCIATION





This asthma

treatment plan is

meant to assist,

not replace, the

clinical decision-

making required

to meet individual patient needs.

_____ DATE

(This asthma action plan meets NJ Law N.J.S.A. 18A:40-12.8) (Physician's Orders) fruir Pathway In Asthma Control ACN reprined Hen eveleble at www.pacry.org (Please Print) Effective Date Date of Birth Name **Emergency Contact** Parent/Guardian (if applicable) Doctor Phone Phone Phone Take daily medicine(s). Some metered dose inhalers may 1111 HEALTHY be more effective with a "spacer" - use if directed Triggers You have all of these: HOW MUCH to take and HOW OFTEN to take it MEDICINE Check all items Breathing is good _1 inhalation twice a day ☐ Advair → ☐ 100, ☐ 250, ☐ 500 that trigger No cough or wheeze 2 puffs MDI twice a day ☐ Advair[®] HFA ☐ 45, ☐ 115, ☐ 230 _ patient's asthma: · Sleep through ☐ 1, ☐ 2 puffs MDI twice a day ☐ Alvesco[®] ☐ 80, ☐ 160 Chalk dust ___ 1, __ 2 inhalations □ once or □ twice a day the night ☐ Asmanex® Twisthaler® ☐ 110, ☐ 220 Cigarette Smoke _2 puffs MDI twice a day · Can work, exercise, ☐ Flovent[®] ☐ 44, ☐ 110, ☐ 220 & second hand ☐ Hovent[®] Diskus[®] ☐ 50 ☐ 100 ☐ 250 1 inhalation twice a day and play smoke ☐ Pulmicort Flexhaler® ☐ 90, ☐ 180_ ☐ 1. ☐ 2 inhalations ☐ once or ☐ twice a day ☐ Colds/Hu ☐ Pulmicort Respules® ☐ 0.25, ☐ 0.5, ☐ 1.0 _ 1 unit nebulized ☐ once or ☐ twice a day Dust mites, ___ 1, __ 2 puffs MDI twice a day □ Qvar[®] □ 40, □ 80 dust, stuffed ☐ Singulair ☐ 4, ☐ 5, ☐ 10 mg _1 tablet daily animals, carpet __ 1, □ 2 puffs MDI twice a day ☐ Symbicort[®] ☐ 80, ☐ 160___ ☐ Exercise ☐ Other □ Mold And/or Peak flow above _ □ None Ozone alert days Remember to rinse your mouth after taking inhaled medicine. ☐ Pests - rodents & cockroaches minutes before exercise. If exercise triggers your asthma, take this medicine Pets - animal dander Continue daily medicine(s) and add fast-acting medicine(s). CAUTION Plants, flowers, cut grass, pollen You have <u>any</u> of these: HOW MUCH to take and HOW OFTEN to take it MEDICINE Strong odors, Exposure to known trigger perfumes, clean-_1 unit nebulized every 4 hours as needed □ Accuneb® □ 0.63, □ 1.25 mg ___ ing products. Cough 1 unit nebulized every 4 hours as needed □ Albuterol □ 1.25, □ 2.5 mg _ scented products Mlid wheeze ☐ Albuterol ☐ Pro-Air ☐ Proventil® _____2 puffs MDI every 4 hours as needed ☐ Sudden tempera-• Tight chest □ Ventolin[®] □ Maxair □ Xopenex[®] □ ____2 puffs MDI every 4 hours as needed ture change □ Xopenex® □ 0.31, □ 0.63, □ 1.25 mg □1 unit nebulized every 4 hours as needed Coughing at night □ Wood Smoke Other:__ ☐ Increase the dose of, or add: ☐ Foods: ☐ Other If fast-acting medicine is needed more than 2 times a week, except before exercise, then call your doctor. And/or Peak flow from Other: EMERGENCY Take these medicines NOW and call 911. Your asthma is t!

getting worse fast:

- Fast-acting medicine did not help within 15-20 minutes
- Breathing is hard and fast
- · Nose opens wide
- · Ribs show
- Trouble walking and talking
- · Lips blue · Fingernails blue

| Asthma can be a life-thre | eatening illness. Do not wai |
|--|-----------------------------------|
| □ Accuneb [®] □ 0.63, □ 1.25 mg | 1 unit nebulized every 20 minutes |
| ☐ Albuterol ☐ 1.25, ☐ 2.5 mg | 1 unit nebulized every 20 minutes |
| ☐ Albuterol ☐ Pro-Air ☐ Proventil® | 2 puffs MDI every 20 minutes |

□ Ventolin® □ Maxair □ Xopenex® _____2 puffs MDI every 20 minutes ☐ Xopenex® ☐ 0.31, ☐ 0.63, ☐ 1.25 mg ☐ 1 unit nebulized every 20 minutes

□ Other

And/or Peak flow below

REVISED MAY 2009

remission to reproduce blank form www.pacricorg

| 00 | 241 | MA | De | ANI | V |
|----|-----|----|----|-----|---|

This student is capable and has been instructed in the proper method of self-administering of the non-nebulized inhaled medications named above in accordance with NJ Law.

☐ This student is <u>not</u> approved to self-medicate.

PHYSICIAN/APN/PA SIGNATURE____

PARENT/GUARDIAN SIGNATURE___

PHYSICIAN STAMP

Make a copy for patient and for physician file. For children under 18, send original to school nurse or child care provider.

MEDICATION PRESCRIPTIONS ARE EFFECTIVE FOR ONE SCHOOL YEAR ONLY AND RENEWAL IS REQUIRED ANNUALLY. ALL FORMS MUST BE ON FILE IN THE LIEALTH OFFICE REFORE MEDICATION CAN BE ADMINISTERED.